



MOD : SCO31-C3

Production code : 30000033909

08/2025

Technical data sheet



SC031-C3

Climate class		: C
Temperature range	(°C)	: -25°C / -18°C
Power	(W)	: 130W
Voltage/freq.	(V / Hz.)	: 220-240v / 50HZ
Energy Consumption	(kWh/24h)	: 0,608

TECHNICAL SPECIFICATIONS

External dimensions	(WxDXH)mm	: 1015x720x845
Internal dimensions	(WxDXH)mm	: 890x510x675
Package dimensions	(WxDXH)mm	: 1231*752*893
Gross volume	(L)	: 272
Net volume	(L)	: 268
Gross weight	(kg)	: 60
Net weight	(kg)	: 54
Outer body		: 0.45 mm CRS
Inner liner		: 0.45 mm gof. alu.
Insulation material		: Rigid P.U.
Insulation density		: 38~40 kg/m³
Internal light		: -
Canopy light		: N/A
Light Switch		: N/A
Door Switch		: N/A
Plastic leg (front)		: 2
Plastic leg (back)		: 2
Comp. capacity		: JIAXPERA 187V @ 0.25/0.25 Mpa /
Evaporator		: SKIN
Evap. ventilator		: NA
Condenser		: BACK
Cond. ventilator		: -
Thermostat		: MECHANICAL
Refrigerant		: R600a
Refrigerant charge	(g)	: 70 grams
Approvals		: CE,ROHS

* External depth is without back stopper.

