

09/2018

Mod: IE140G/R2




Production code: 11202702-A-M-L (M2)















Diamond
catering equipment







Art. Code: 11202702-A-M-L









Diamond Freezer Cabinet - 2C with Swivel Castors, R290 with Glass Door
 Armoire de Congélation Diamond - 2C avec Roulettes Pivotantes, R290 avec Porte Vitrée
 Armário de Congelados Diamond - 2C c/ Kit de Rodízios, R290 c/ Porta de Vidro
 Armadio di Surgelati Diamond - 2C c/ Kit di Ruote, R290 c/ Porte a Vetro

Code	Description	
40106008	Compressor NT2180U Compresseur NT2180U Compressor NT2180U Compressore NT2180U Verdichter NT2180U Compresor NT2180U	
40213024	Evaporator Évaporateur Evaporador Arm. M1/M2 - tubo 3-8in - 2 Corpo Evaporatore Verdampfer Evaporador	
40215007	Condenser P/ R290 Tube 5 mm (M2 - 2C) Condenseur P/ R290 Conduite 5 mm (M2 - 2C) Condensador P/ R290 Tubo 5 mm (M2 - 2C) Condensatore P/ R290 Tubo 5 mm (M2 - 2C) Kondensator P/ R290 Tubo 5 mm (M2 - 2C) Condensador P/ R290 Tubo 5 mm (M2 - 2C)	
40701033	Fan motor W1G230-EB89-11 Motoventilateur W1G230-EB89-11 Motoventilador W1G230-EB89-11 Motoventilatore W1G230-EB89-11 Ventilatormotor W1G230-EB89-11 Motoventilador W1G230-EB89-11	
40701057	Fan motor W1G172-EC91-22 reverse speed with cable Motoventilateur W1G172-EC91-22 vitesse inversée sans câble Motoventilador W1G172-EC91-22 velocidade inversa s/ cabo Motoventilatore W1G172-EC91-22 retromarcia senza cavo Ventilatormotor W1G172-EC91-22 Rückwärtsgang ohne Kabel Motoventilador W1G172-EC91-22 velocidad marcha atrás sin cable	
41001002	Welding filter Filtre soudure Filtro de Soldar 40 Gr 2x1/4" - 1/8" - R404A Filtro di saldatura Filter zu schweissen Filtro soldadura	
41103063	Microprocessor Dixell XW70LH 5 relays Ref. 1900513 Microprocesseur Dixell XW70LH 5 relais Réf. 1900513 Microprocessador Dixell XW70LH 5 relé blue display refª 1900513 Microprocessore Dixell XW70LH 5 relè Codice 1900513 Mikroprozessor Dixell XW70LH 5 Relais Code 1900513 Microprocesador Dixell XW70LH 5 relé Código 1900513	
41201006	Probe 1,5 Mtr - Ref. NTC015HP00 Sonde 1,5 Mtr - Réf. NTC015HP00 Sonda 1,5 Mtr - Refª NTC015HP00 Sonda 1,5 Mtr - Codice NTC015HP00 Fühler 1,5 Mtr - Code NTC015HP00 Sonda 1,5 Mtr - Código NTC015HP00	

41201012	Probe - White - NG6 1.5 mtrs Sonde - Blanche - NG6 1.5 mtrs Sonda NG6 1.5 mtrs - branca Sonda - Bianca - NG6 1.5 mtrs Fühler - Weiss - NG6 1.5 mtrs Sonda - Blanca - NG6 1.5 mtrs	
41601008	Loading valve 1/4, VA635T075B Vanne de charge 1/4, VA635T075B Válvula de carga de gás 1/4 standard cap neoprene gasket e tubo 75 mm refª VA635T075B Valvola di carico 1/4, VA635T075B Ladeventil 1/4, VA635T075B Válvula de carga 1/4, VA635T075B	
41605002	Plug for 3/4 - grey drain overflow pipe Bouchon pour bonde d'écoulement 3/4 - Gris Tampa para válvula de esgoto 3/4 - Cinza Tappo per piletta di scarico 3/4 - Grigio Stopfen für Ablaufventil 3/4 - Grau Tapón de válvula de desagüe 3/4 - Gris	
41802002	Vertical magnet - 1483 mm Aimant verticale - 1483 mm Contra-magnético Vertical M - 1483 mm Magnete verticale - 1483 mm Verticaler Magnet - 1483 mm Imán vertical - 1483 mm	
41802004	Horizontal magnet - 1330 mm Aimant horizontale - 1330 mm Contra-magnético Horizontal M 1500 - 1330 mm Magnete orizzontale - 1330 mm Horizontaler Magnet - 1403 mm Imán horizontal - 1300 mm	
41802007	Vertical magnet (Pillars) - 1428 mm Aimant verticale (Piliers) - 1428 mm Contra-magnético Vertical Pilar M's - 1428 mm Magnete verticale (Pilastrì) - 1428 mm Verticaler Magnet (Stützen) - 1428 mm Imán vertical (Pilares) - 1428 mm	
42001015	Hinge 2,8 mm Charnière 2,8 mm Dobradiça Pivot Mola 2,8 mm Cerniera 2,8 mm Scharnier 2,8 mm Bisagra 2,8 mm	
42001018	Hinge N°816 galvanized 1" Charnière N°816 galvanisée 1" Dobradiça N°816 Zincada 1" Cerniera N°816 zincata 1" Scharnier N°816 verzinkt 1" Bisagra N°816 galvanizada 1"	
42601054	Squared sleeve 29x29 - Grey Bague carrée 29x29 - Gris Casquilho Quadrado 29x29 - Cinza Cuscinetto quadrato 29x29 - Grigio Quadratische Hülse 29x29 - Grau Casquillo cuadrado 29x29 - Gris	
42701005	Swivel castors without brake ref. 110 PNA/100-F4C Roulettes pivotantes sans frein réf. 110 PNA/100-F4C Rodízios sem travão refª 110 PNA/100-F4C Ruote senza freno Codice 110 PNA/100-F4C Einsteckrollen ohne Bremse Code 110 PNA/100-F4C Ruedas sin freno Código 110 PNA/100-F4C	
42701006	Swivel and brake castors ref. 130 PNA/100-F4C Roulettes pivotantes avec frein réf. 130 PNA/100-F4C Rodízios COM travão refª 130 PNA/100-F4C Ruote con freno Codice 130 PNA/100-F4C Einsteckrollen mit Bremse Code 130 PNA/100-F4C Ruedas con freno Código 130 PNA/100-F4C	

43001005	Power cord and plug H05VV-F 3G1,5 PVC GREY 3m Câble avec fiche H05VV-F 3G1,5 PVC Gris 3m Cabo de Alimentação H05VV-F 3G1,5 PVC CINZA 3MTS Cavo con spina H05VV-F 3G1,5 PVC Grigio 3m Kabel mit Stecker H05VV-F 3G1,5 PVC Grau 3m Cable con clavija H05VV-F 3G1,5 PVC Gris 3m	
43001008	Connection cable 1500 mm ESM - 10638-4-1040 Câble de connexion 1500 mm ESM - 10638-4-1040 Cabo de Ligação 1500 mm ESM - 10638-4-1040 Cavo di connessione 1500 mm ESM - 10638-4-1040 Anschlusskabel 1500 mm ESM - 10638-4-1040 Cable de conexión 1500 mm ESM - 10638-4-1040	
43301009	Mirror Polycarbonate 100x60 Miroir Polycarbonate 100x60 Espelho Refractor Polycarbonato 100x60 Specchio Polycarbonato 100x60 Polycarbonat-Spiegel 100x60 Espejo Polycarbonato 100x60	
43301023	LED module Module LED LED Modulo Quadrado de 4 peças 5050 c/ cabo 2,5 mm Modulo LED LED Modul Módulo LED	
43301024	Transducer 12V 1-6W Transformateur 12V 1-6W Transformador 12V 1-6W Trasformatore 12V 1-6W Transformator 12V 1-6W Transformador 12V 1-6W	
43701006	Reed RS 333-158 Intérrupteur magnétique RS 333-158 Reeds RS 333-158 Interruttore magnetico RS 333-158 Magnetschalter RS 333-158 Interruptor magnetico RS 333-158	
43801003	Wire rope grip PG11 Serre-câbles PG11 Serra cabos PG11 Morsetti per cavi PG11 Drahtseiklemmen PG11 Abrazadera de cables PG11	
43801007	16 Board connectors PA32 Connecteur de 16 bornes PA32 Placa 16 ligadores PA32 Connettore 16 poli PA32 16 Anschlüsse PA32 Regleta Conexiones OK501 16 Polos - Configuración tipo B	
43801008	Protection cover PA262 Couvercle de protection PA262 Tampa protecção PA262 Coperchio di protezione PA262 Schutzdeckel PA262 Tapa regleta OK501 16 Polos	
44101018	Bimetal thermostat ref.: THIP100S Thermostat bimétallique réf.: THIP100S Termostato Bimetal refª THIP100S Termostato bimetallico Codice THIP100S Bimetal-Thermostat Code THIP100S Termostato bimetalico Código THIP100S	
44303148	Wiring box-thermal relays Boîte de câblage-relais thermiques Cablagem caixa- relés térmicos (cabo 2 vias c/seal) Scatola di cablaggio-relè termici Verdrahtungsbox-thermische Relais Caja de conexiones-relés térmicos	

45101012	Drain heater 30W/2500mm - Ref. 1SFAS1161123 Résistance d'écoulement 30W/2500mm - Réf. 1SFAS1161123 Resistência Esgoto 30W/2500mm - Refª 1SFAS1161123 Resistenza di scarico 30W/2500mm - Codice 1SFAS1161123 Ablaufrohr Heizung 30W/2500mm - Code 1SFAS1161123 Resistencia de desagüe 30W/2500mm - Código 1SFAS1161123	
45101048	Heating element 350W 220/240V - 50 Hz Resistance de chauffage 350W 220/240V - 50 Hz Resistência Tubular 350W 220/240V - 50 Hz Resistenza 350W 220/240V - 50 Hz Heizwiderstand 350W 220/240V - 50 Hz Resistencia de calentamiento 350W 220/240V - 50 Hz	
45907006	Stainless steel bolt Boulon en acier inox Pernos Roscados Aço Inox M5 x 22 Perno in acciaio inox Bolzen aus Edelstahl Perno en acero inoxidable	
46502004	Shelf 650 x 530 - Rilsan Grille 650 x 530 - Rilsan Grelhas c/ 650 x 530 - Rilsan Griglia 650 x 530 - Rilsan Tragrost 650 x 530 - Rilsan Rejilla 650 x 530 - Rilsan	
46502016	Connecting shelf Grille de liaison Grelhas União c/ 600x176 - Rilsan Griglia di unione Verbindungsrost Rejilla de conexión	
607011093	Front support for sliders Support frontal pour glissières Suporte Frontal p/ Calhas - M's Supporto frontale per guide Frontale Schienenhalterung Suporte frontal para guías	
607011095	Back support for sliders Support postérieur pour glissières Suporte Posterior p/ Calhas - M1/M2 1440 Supporto posteriore per guide Rückseitige Schienenhalterung Suporte posterior para guías	
607011154	Evaporator cover back clamp Agrafe postérieure de la cloche de l'évaporateur Grampo posterior da campânula Morsetto posteriore copertura evaporatore Hinterer Schraubzwinde Verdampferabdeckung Grampo posterior de la cobertura del evaporador	
607011156	Evaporator cover clamp Agrafe de la cloche de l'évaporateur Grampo da campânula Morsetto copertura evaporatore Schraubzwinde Verdampferabdeckung Grampo de la cobertura del evaporador	
607011181	Condensador CPL M2/M7 - 2C R290	
607011241	Frente do Cabeçote Soldado M1/M2 - 1440	

607011256	Right hand slider Glissière droite Calha Direita CPL M's Guida destra Rechtsseitige Schiene Guía derecha	
607011257	Left hand slider Glissière gauche Calha Esquerda CPL M's Guida sinistra Linksseitige Schiene Guía izquierda	
607011279	Vertical finishing profile Profilé de finition vertical Perfil Remate Vertical M's Profilo di finitura verticale Vertikales Abschlussprofil Perfil de remate vertical	
607011283	Horizontal finishing profile Profilé de finition horizontal Perfil Remate Horizontal M's - 1440 Profilo di finitura orizzontale Horizontales Abschlussprofil Perfil de remate horizontal	
607011285	Central mullion finishing profile Profilé de finition du montant central Perfil Remate p/ Pilar M's Profilo di finitura del montante centrale Mittelsäule Abschlussprofil Perfil de remate del pilar central	
607011304	Conduto do teto - 720	
607011306	Conduto das costas - 1440	
607011347	Suporte Superior Direito p/ Porta de Vidro s/ Iluminação - PRD80	
607011348	Suporte Superior Esquerdo p/ Porta de Vidro s/ Iluminação - PRD80	
607011477	Frente do Cabeçote CPL M1/M2 - 1440	
607011572	Pair of sliders Paire de glissières Par de Calhas- M's 720/1440 Coppia guide Schiene paar Par de guías	

607011587	Evaporator CPL M2 - 2C - R290 Evaporateur CPL M2 - 2C - R290 Evaporador CPL M2 - 2C - R290	
	Evaporador CPL M2 - 2C - R290	
60701220	Lower hinge support Support pour charnière inférieure Suporte da Dobradiça Inferior Supporto per cerniera inferiore Halterung für untere Scharnier Soporte para bisagra inferior	